

zenox
pumps




Industry Product Guide
2010

Household Pressure Systems

ZPS-800 - Automatic Jet Pump




- 750 watt motor
- Self priming to 8 metres
- 42 metres max head
- 60 litres per minute max delivery
- Stainless Steel impeller



ZHM-045 - Horizontal Multistage




- 450 watt motor
- 38 metres max head
- 80 litres per minute max delivery
- Very quiet and efficient
- Made in Italy



ZHM-060 - Horizontal Multistage



- 600 watt motor
- 50 metres max head
- 80 litres per minute max delivery
- Very quiet and efficient
- Made in Italy



ZHM-110PC - Horizontal Multistage




- 1100 watt motor
- 50 metres max head
- 130 litres per minute max delivery
- Made in Italy



HHS-650PC- Automatic Submersible



- 650 watt motor
- 31 metres max head
- 90 litres per minute max flow
- Made in Italy



Zenox Rain/Mains System



Features

- Watermark certification to ATS 5200:477
- Unlimited pump options
- Energy efficient
- Automatic power fail valve open feature
- Manual override
- Zero mains wastage
- Unique 'system test' feature
- Complete with 'plug & play' float switch 10 metres
- Dual backflow prevention mains supply & rain supply
- Made in Australia

Specifications

- UV resistant system housing
- 25mm BSP female connections
- Power supply, 240 volt, 50Hz, 10 Amps
- Pump rating - 8 Amp, 240 volt maximum
- Float switch voltage 15 DC
- Maximum mains inlet pressure 500 Kpa



ATS 5200.477
C of C: 40068
Global-Mark.com.au

Rain / Mains Packages



ZPS-800-WP



ZHM-045-WP



ZPC-128
Rain/Mains System



ZHM-110-WP



HHS-650-WP



ZHM-060-WP



Models Available

ZPS-800-WP

800w Zenox Jet Pump Pressure System & Zenox ZPC-128 Rain/Mains System - **Watermarked**

ZHM-045-WP

450w Zenox Horizontal Multistage Pressure System & Zenox ZPC-128 Rain/Mains System - **Watermarked**

ZHM-060-WP

600w Zenox Horizontal Multistage Pressure System & Zenox ZPC-128 Rain/Mains System - **Watermarked**

ZHM-110-WP

1100w Zenox Horizontal Multistage Pressure System & Zenox ZPC-128 Rain/Mains System - **Watermarked**

HHS-650-WP

650W Zenox Automatic Submersible Pressure System & Zenox ZPC-128 Rain/Mains System - **Watermarked**

4

Accessories

ZPC-127 - Rain/Mains Controller & Valves



Consist of:

- Rain/Mains controller
- 1x Pulse latching solenoid valve (**Watermarked**) - 25mm
- 1 x Dual check valve (**Watermarked**) - 25mm
- 1 x 'plug & play' float switch - 10metres




Vortex Pumps

ZSV-015-1A - Automatic Submersible Vortex Pump




- 150 watt motor
- 6.5 metres max head
- 130 litres per minute max delivery
- Removable Stainless steel strainer
- Cast Iron impeller
- Thermally protected motor



SSV-037 - Automatic Submersible Vortex Pump



- 370 watt motor
- 6.5 metres max head
- 180 litres per minute max delivery
- Continuously rated
- Solids handling to 20mm
- Will stand 90°C liquid temperatures in 3 minute intervals
- Made in Italy




Drainage Pumps

SSS-037 - Automatic Submersible Drainage Pump



- 370 watt motor
- 9 metres max head
- 220 litres per minute max delivery
- Continuously rated
- Will stand 90°C liquid temperatures in 3 minute intervals
- Made in Italy




Strainer Pumps

ZSS-040/ZSS-075 – Submersible Strainer Pumps




- 0.4/0.75 kw motors
- 11/18 metres max head
- 3.9/6.6 litres per second max delivery
- Thermally protected motor
- 50mm vertical discharge outlet
- Stainless steel suction strainer




Sewerage Pumps

ZSC-075-1A – Automatic Submersible Cutter Pump



Tungsten
Cutter
Impeller

- 0.75 kw motors
- 13 metres max head
- 6.1 litres per second max flow
- Thermally protected motor
- 50mm vertical discharge outlet
- Stainless steel motor shaft




6

ZSG-150 – Submersible Grinder Pumps



- 1.5 kw motor
- 25 metres max head
- 3.3 litres/second max flow
- Thermally protected motor
- 32 mm vertical discharge outlet




DELIVERING
AUSTRALIA WIDE

Undersink Sullage Units

ULS-040 – Undersink Sullage Unit




- 6.5 metres max head
- 180 litres per minute max flow
- Vortex Pump for dirty water
- 40 Litre Capacity
- Pump will handle 90oC water for up to 3 minute intervals
- Handles 20mm solids
- Made in Italy



ULS-090 – Undersink Sullage Unit

- 6.5 metres max head
- 180 litres per minute max flow
- Vortex Pump for dirty water
- 90 Litre Capacity
- Pump will handle 90oC water for up to 3 minute intervals
- Handles 20mm solids





Wholesale trade enquiries contact:

NSW, QLD, WA

Zenox Pumps

Telephone: 1800 182 688

Email: sales@aceflow.com.au

VIC, TAS, NT, SA

Zenox Pumps

Telephone: 1300 301 664

Email: sales@netcopumps.com.au

www.zenoxpumps.com

3 / 10

Available from: